


TOP-TECHNIC



■ SINGLE PHASE CONTROL TRANSFORMERS



■ BELL TRANSFORMER, SHORT-CIRCUIT PROTECTED



■ POWER SUPPLY UNITS, SINGLE-PHASE DC VOLTAGE SUPPLY, OPEN DESIGN TYPE, FILTERED



■ POWER SUPPLY UNITS, THREE-PHASE POWER SUPPLY, OPEN DESIGN TYPE



■ SINGLE-PHASE DC VOLTAGE SUPPLY FOR DIN RAIL



■ POWER SUPPLY UNITS, CLOCKED

“The universe is built on the power of numbers.”

Pythagoras of Samos, Greek philosopher

TRANSFORMERS, POWER SUPPLY UNITS

▀ CONTENTS

SINGLE-PHASE CONTROL TRANSFORMERS	Page 538
BELL TRANSFORMER	Page 539
POWER SUPPLY UNITS – OPEN DESIGN TYPE	Page 540
POWER SUPPLY UNITS – FULLY ENCAPSULATED	Page 541
DC POWER SUPPLIES	Page 542

SINGLE-PHASE CONTROL TRANSFORMERS



LP612006T

SCHRACK-INFO

















Compact high-quality transformers with

- Primary voltages 230 V and 400 V AC
- Secondary voltages 12 – 230 V AC
- Optional models including secondary fuse
- Safety transformer function

DESCRIPTION	CU WEIGHT (g)	EAN CODE	AVAILABLE	ORDER NO.
SINGLE-PHASE SAFETY ISOLATING TRANSFORMERS 230/12 V				
230/12 V 30 VA	500	9004840652246		LP601003T
230/12 V 60 VA	600	9004840148527		LP601006T
230/12 V 100 VA	600	9004840148046		LP601010T
230/12 V 160 VA	400	9004840164718		LP601016T
230/12 V 200 VA	1000	9004840159103		LP601020T
230/12 V 315 VA	1300	9004840154153		LP601032T
230/12 V 500 VA	1500	9004840148312		LP601050T
SINGLE-PHASE SAFETY ISOLATING TRANSFORMERS 230/24 V				
230/24 V 30 VA	500	9004840454192		LP602003I
230/24 V 60 VA	600	9004840454208		LP602006I
230/24 V 100 VA	600	9004840454215		LP602010I
230/24 V 160 VA	400	9004840454222		LP602016I
230/24 V 200 VA	1000	9004840149029		LP602020T
230/24 V 250 VA	800	9004840454239		LP602025I
230/24 V 315 VA	1100	9004840454246		LP602032I
230/24 V 400 VA	1150	9004840454253		LP602040I
230/24 V 500 VA	1400	9004840454260		LP602050I
230/24 V 630 VA	1900	9004840454277		LP602063I
230/24 V 800 VA	2100	9004840454284		LP602080I
230/24 V 1000 VA	2200	9004840454291		LP602100I
SINGLE-PHASE SAFETY ISOLATING TRANSFORMERS 230/24 V				
230/24 V 30 VA sec. fuse	200	9004840168372		LP612003T
230/24 V 60 VA sec. fuse	200	9004840167672		LP612006T
230/24 V 100 VA sec. fuse	250	9004840168365		LP612010T
230/24 V 200 VA sec. fuse	1000	9004840202076		LP612020T
230/24 V 250 VA sec. fuse	1000	9004840168358		LP612025T
SINGLE-PHASE SAFETY ISOLATING TRANSFORMERS 400/24 V				
400/24 V 30 VA	200	9004840149241		LP603003T
400/24 V 100 VA	250	9004840147582		LP603010T
400/24 V 160 VA	400	9004840153392		LP603016T
400/24 V 200 VA	650	9004840652291		LP603020T
400/24 V 250 VA	800	9004840652307		LP603025T
400/24 V 400 VA	1150	9004840158311		LP603040T
400/24 V 500 VA	1400	9004840154221		LP603050T



■ SINGLE-PHASE CONTROL TRANSFORMERS – continued

DESCRIPTION	CU WEIGHT (g)	EAN CODE	AVAILABLE	ORDER NO.
SINGLE-PHASE ISOLATING TRANSFORMERS 230/230 V				
230/230 V 100 VA	600	9004840454499		LP605010I
230/230 V 250 VA	1000	9004840454505		LP605025I
230/230 V 500 VA	1500	9004840454512		LP605050I
230/230 V 800 VA	2100	9004840223446		LP605080T
230/230 V 1000 VA	2200	9004840454529		LP605100I
230/230 V 1300 VA	3200	9004840163209		LP605130T
230/230 V 2000 VA	4000	9004840172935		LP605200T
230/230 V 2500 VA	5500	9004840159134		LP605250T
SINGLE-PHASE CONTROL TRANSFORMER 400/230 V + SECONDARY FUSE				
400/230 V 60 VA	600	9004840210873		LP614006T
400/230 V 100 VA	600	9004840210880		LP614010T
400/230 V 200 VA	1000	9004840210897		LP614020T
400/230 V 400 VA	1300	9004840210903		LP614040T
SINGLE-PHASE ISOLATING TRANSFORMERS 400/230 V				
400/230 V 60 VA	200	9004840417944		LP604006I
400/230 V 100 VA	250	9004840454369		LP604010I
400/230 V 160 VA	400	9004840454376		LP604016I
400/230 V 200 VA	650	9004840148077		LP604020T
400/230 V 250 VA	800	9004840454383		LP604025I
400/230 V 320 VA	1100	9004840454390		LP604032I
400/230 V 400 VA	1100	9004840454406		LP604040I
400/230 V 500 VA	1400	9004840454420		LP604050I
400/230 V 630 VA	1900	9004840454437		LP604063I
400/230 V 800 VA	2100	9004840557510		LP604080I
400/230 V 1000 VA	2200	9004840454444		LP604100I
400/230 V 1600 VA	3500	9004840454451		LP604160I
400/230 V 2000 VA	4000	9004840454468		LP604200I
400/230 V 2500 VA	5500	9004840454475		LP604250I
400/230 V 3000 VA	9500	9004840454482		LP604300I
400/230 V 4000 VA	10400	9004840148435		LP604400T
400/230 V 5000 VA	12500	9004840248326		LP604500T
ACCESSORIES				
Snap-on mounting for DIN rail		9004840219876		LP699001T

■ BELL TRANSFORMER, SHORT-CIRCUIT PROTECTED






BZ326578

■ SCHRACK-INFO

Bell transformers with isolated windings for DIN-rail mounting.

- Comply with EN 61558-1-2-8
- Primary voltage 230 V
- Secondary voltages 4 – 24 V AC
- 100% duty cycle
- Including PTC and protection class IP40

DESCRIPTION	EAN CODE	AVAILABLE	ORDER NO.
230 V AC prim./4,8,12 V AC sec., 15 VA	9004840275216		BZ326577
230 V AC prim./8,12, 24 V AC sec., 30 VA	9004840275209		BZ326578
230 V AC prim./12, 24 V AC sec., 63 VA	9004840384796		BZ326579



Order no. blue: on stock, usually ready for delivery on the day of order!

POWER SUPPLY UNITS, SINGLE-PHASE DC POWER SUPPLY, OPEN DESIGN TYPE, FILTERED



LP702110I

SCHRACK-INFO

Transformer-based DC power supply with an output voltage of 24 V DC.

- Primary voltages 230 V AC, 230 – 400 V AC
- Up to 25 A output current
- Low residual ripple < 5%
- Self-cooling

DESCRIPTION	CU WEIGHT (g)	EAN CODE	AVAILABLE	ORDER NO.
230-400 V 50/60 HZ / 24 V DC				
230-400/24 V 3 A	360	9004840454574		LP702103I
230-400/24 V 5 A	790	9004840454581		LP702105I
230-400/24 V 8 A	850	9004840454598		LP702108I
230-400/24 V 10 A	1400	9004840454604		LP702110I
230-400/24 V 15 A	1400	9004840454611		LP702115I
230-400/24 V 20 A	1700	9004840154948		LP702120T
230-400/24 V 25 A	2500	9004840159073		LP702125T
230 V 50/60 Hz / 24 V DC				
230/24 V 1.5 A	260	9004840548099		LP7021B1I
230/24 V 20.0 A	2000	9004840154955		LP703120T
230/24 V 25.0 A	3000	9004840199444		LP703125T

POWER SUPPLY UNITS, THREE-PHASE POWER SUPPLY, OPEN DESIGN TYPE



LP701310T

SCHRACK-INFO

Three-phase, transformer-based DC power supply with an output voltage of 24 V DC.

- Output currents of 10 – 40 A
- Low residual ripple < 5%

DESCRIPTION	CU WEIGHT (g)	EAN CODE	AVAILABLE	ORDER NO.
400/24 V DC, 10 A	940	9004840454536		LP701310I
400/24 V DC, 15 A	1040	9004840454543		LP701315I
400/24 V DC, 20 A	1360	9004840454550		LP701320I
400/24 V DC, 30 A	1600	9004840454567		LP701330I
400/24 V DC, 40 A	3500	9004840174434		LP701340T

POWER SUPPLY UNITS, SINGLE-PHASE DC POWER SUPPLY, FULLY ENCAPSULATED, UNSTABILISED



LP733103I

SCHRACK-INFO

Unstabilised DC power supply with an output voltage of 24 V DC.

- Encapsulated type
- Input voltage 230 V AC / 400 V AC
- Output currents of 1.5 – 10 A

DESCRIPTION	CU WEIGHT (g)	EAN CODE	AVAILABLE	ORDER NO.
230/24 V DC				
230/24 V 1.5 A unstabilised	380	9004840387940		LP7331B1I
230/24 V 3 A unstabilised	600	9004840387957		LP733103I
230/24 V 5 A unstabilised	660	9004840387971		LP733105I
230/24 V 10 A unstabilised	1300	9004840387995		LP733110I
400/24 V 3 A unstabilised	600	9004840387964		LP734103I
400/24 V 5 A unstabilised	660	9004840387988		LP734105I

POWER SUPPLY UNITS, SINGLE-PHASE DC POWER SUPPLY, FULLY ENCAPSULATED, STABILISED



LP723103

SCHRACK-INFO

Stabilised DC power supply with an output voltage of 24 V DC for mounting plate and mounting on DIN rail (LP749xxx).

- Encapsulated type
- Input voltage 230 V
- Output currents of 1.5 – 10 A

DESCRIPTION	CU WEIGHT (g)	EAN CODE	AVAILABLE	ORDER NO.
230/24 V DC				
230/24 V 1.5 A stabilised	380	9004840405682		LP7231B1I
230/24 V 3 A stabilised	600	9004840405699		LP723103I
230/24 V 5 A stabilised	660	9004840405705		LP723105I
Switching power supply unit 24 V DC 0.75 A 18 W		9004840526141		LP749018
Switching power supply unit 24 V DC 1.25 A 30 W		9004840526134		LP749030
Switching power supply unit 24 V DC 2.5 A 60 W		9004840526165		LP749060
Switching power supply unit 24 V DC 5 A 120 W		9004840526158		LP749120



I KNOW WHERE TO FIND IT!

THE SCHRACK TECHNIK WEB SHOP WITH NAVIGATOR
WWW.SCHRACK.COM

- Finding product information made easy
- Buying products around the clock
- Quick access customer service



Order no. blue: on stock, usually ready for delivery on the day of order!



■ SINGLE-PHASE DC POWER SUPPLY FOR DIN RAIL NG 12/3 A / NG 24/3 A



YY494004-A

■ SCHRACK-INFO

DIN rail-mounting PCB power supply units for 12 V DC and 24 V DC output voltage and 3 A output current.

DESCRIPTION	EAN CODE	AVAILABLE	ORDER NO.
NG 12/3 A	9004840063745		YY494012
NG 24/3 A	9004840063684		YY494004-A

■ DC POWER SUPPLY, INSTALLATION DESIGN TYPE, STABILISED



LP746201

■ SCHRACK-INFO

- DIN rail mounted power supply unit
- 230 V AC supply
- 24 V DC / 12 V DC output voltage

DESCRIPTION	EAN CODE	AVAILABLE	ORDER NO.
Single-pole power supply unit, 230/24 V DC, 1.5 A	9004840556988		LP746201
Single-pole power supply unit, 230/12 V DC, 2 A	9004840556971		LP7432C



I KNOW WHERE TO FIND IT!

WITH THE SCHRACK TECHNIK LIVE-PHONE APP

- Access technical product information at any time and from everywhere
- See availability and price immediately
- Order desired products easily

POWER SUPPLY UNITS, CLOCKED



LP412406

SCHRACK-INFO

- LP4 industrial power supply unit series in robust design
- Adjusting options for the right application
- 24 V DC / 12 V DC output voltage
- Various performance classes, as well as UPS version possible

DESCRIPTION	EAN CODE	AVAILABLE	ORDER NO.
Power supply unit, clocked, 24 V DC 2.5 A 1PH	9004840664652		LP412402
Power supply unit, clocked, 24 V DC 4.5 A 1PH	9004840664676		LP412405
Power supply unit, clocked, 24 V DC 6 A 1PH	9004840544749		LP412406
Power supply unit, clocked, 24 V DC 12 A 1PH	9004840544732		LP412412
Power supply unit, clocked, 24 V DC 22 A 1PH	9004840664669		LP412422
Power supply unit with UPS function, 24 V DC 5 A 1PH	9004840544787		LP442405
Power supply unit with UPS function, 24 V DC 10 A 1PH	9004840544770		LP442410
Power supply unit, clocked, 230 V AC/12 V DC, 5 A	9004840586084		LP411205
Power supply unit, clocked, 230 V AC/12 V DC, 10 A	9004840589290		LP411210



I KNOW WHERE TO FIND IT!

THE SCHRACK TECHNIK WEB SHOP WITH NAVIGATOR
WWW.SCHRACK.COM

- Finding product information made easy
- Buying products around the clock
- Quick access customer service

